



*WHEN EVERYONE RELIES ON YOU,  
YOU CAN RELY ON US.*

**PREMIUM LIGHTING PACKAGES**  
FOR MUNICIPALITY AND WASTE

**Truck-Lite**<sup>®</sup>  
A Clarience Technologies Company





A **Clariance Technologies** Company

As our Essential Workers, Municipalities & Waste teams continue to work through it all, whether it is inclement weather, high traffic areas, or a national crisis. Our communities rely on the public works department to keep our roadways safe and clean.


Truck-Lite premium lighting is FMVSS 108, CVSS 108, DOT & SAE Compliant. Designed, manufactured, and tested in-house, our product is backed by a premium warranty to deliver quality and reliability, built tough enough to withstand any condition.

Truck-Lite leads with an understanding of industry challenges affecting our customers' businesses, backed by a technology-focused infrastructure with global reach to provide superior value to customers **AT THE SPEED OF LIGHT.**



**AT THE SPEED OF LIGHT**

Learn more at [truck-lite.com/municipalitywaste](http://truck-lite.com/municipalitywaste)



## DUMP TRUCK



**LED PROJECTOR HEADLIGHTS**  
6" ROUND - CLEAR  
NEW Eye-catching design, rugged construction, best beam pattern on the market for increased light output where you need it. **3 Year Warranty.**

1



**LED WARNING LIGHTS**  
AMBER - SUPER 44 - NEW  
Our New LED Warning Lights meet a higher performance - Class 1 J595, are designed with Truck-Lite signature styling and industry compliant specifications, backed by a leading warranty and offer a heated option for extra safety during winter months. **Lifetime Warranty.**

5




**PEEL & STICK REFLECTOR - RED**  
Fast, Permanent installation designed to take extra force. **1 Year Warranty.**

9



**SUPER 44° FRONT/PARK/TURN - AMBER**  
6 Diode Signature Truck-Lite Pentastar Design, solid-state construction and sealed circuitry designed to last the life of your vehicle. **Lifetime Warranty.**

2



**SUPER 44° STOP/TURN/TAIL - RED**  
6 Diode Signature Truck-Lite Pentastar Design, solid-state construction and sealed circuitry designed to last the life of your vehicle. **Lifetime Warranty.**

6



**PEEL & STICK REFLECTOR - AMBER**  
Fast, Permanent installation designed to take extra force. **1 Year Warranty.**

10



**33° SERIES MARKER CLEARANCE - AMBER**  
Versatile, convenient installation that only requires a 3/4" mounting hole, built with structural integrity to reduce downtime \*Best-in-Class Dual Function Auxiliary options available. **Lifetime Warranty.**

3



**SUPER 44° BACK UP - CLEAR**  
6 Diode Signature Truck-Lite Pentastar Design, solid-state construction and sealed circuitry designed to last the life of your vehicle. **Lifetime Warranty.**

7




**WORK LIGHTS SIGNAL STAT HIGH OUTPUT WORK LAMPS**  
Backed by an industry-leading warranty and available in multiple beam patterns, each lamp is designed and tested to perform in any situation throughout the life of your vehicle. **2 Year Warranty.**

11



**33° SERIES MARKER CLEARANCE - RED**  
Versatile, convenient installation that only requires a 3/4" mounting hole, built with structural integrity to reduce downtime \*Best-in-Class Dual Function Auxiliary options available. **Lifetime Warranty.**

4



**33° SERIES LICENSE LIGHT - CLEAR**  
License Lamp Solution that requires no mounting brackets for an easy-to-install application. **Lifetime Warranty.**


8




**SNOW PLOW KITS LEGACY LED HEADLIGHTS**  
equipped as a Snow Plow Kit with heated lens, designed with military grade durability and DOT compliant lighting for a crisper and whiter light output increasing visibility during the harsh winter months. **3 Year Warranty.**

12

For a complete list of options visit [truck-lite.com/municipalitywaste](http://truck-lite.com/municipalitywaste)



## GARBAGE TRUCK



\*3 year warranty on the headlight, 2 year on the front park turn, 1 year on the bracket.

| HEADLIGHTS                                 |   |
|--|---|
| <b>LED Projector Headlights <i>NEW</i></b> |   |
| 37270C                                     | LED Projector Headlight - NG - 7" Round               |
| 37450C                                     | LED Projector Headlight - NG - 5x7"                   |
| 37640C                                     | LED Projector Headlight - NG - 4x6" L                 |
| 37645C                                     | LED Projector Headlight - NG - 4x6" H                 |
| 37650C                                     | LED Projector Headlight - NG - 4x6" L HEATED          |
| 37655C                                     | LED Projector Headlight - NG - 4x6" H HEATED          |
| <b>LED Reflector Headlights</b>            |   |
| 27270C                                     | LED Headlight - 7" Round                              |
| 27275C                                     | LED Headlight - 7" Round HEATED                       |
| 27640C                                     | LED Headlight - 4x6" L                                |
| 27645C                                     | LED Headlight - 4x6" H                                |
| 27645C                                     | LED Headlight - 5x7"                                  |
| 27455C                                     | LED Headlight - 5x7" HEATED                           |
| FRONT/PARK/TURN                            |   |
| <b>Super 44<sup>®</sup></b>                |   |
| 44294Y                                     | LED 6 Diode - 4" Round - Grommet                      |
| 44292Y                                     | LED 6 Diode - 4" Round - Flange                       |
| <b>60 Series<sup>®</sup></b>               |   |
| 60290Y                                     | LED 44 Diode - 6" Oval - Grommet                      |
| 60291Y                                     | LED 44 Diode - 6" Oval - Flange                       |
| <b>Signal Stat</b>                         |   |
| 4050                                       | SS LED 24 Diode - 4" Round - Grommet                  |
| 4053                                       | SS LED 24 Diode - 4" Round - Flange                   |
| 6050                                       | SS LED 24 Diode - 6" Oval - Grommet                   |
| 6053                                       | SS LED 24 Diode - 6" Oval - Flange                    |
| MARKER CLEARANCE                           |   |
| <b>33 Series<sup>®</sup></b>               |   |
| 33250R                                     | LED 1 Diode - 3/4" Round - Grommet - Red              |
| 33250Y                                     | LED 1 Diode - 3/4" Round - Grommet - Amber            |
| 33051R                                     | LED 1 Diode - 3/4" Round - Flange - Red               |
| 33051R                                     | LED 1 Diode - 3/4" Round - Flange - Amber             |
| <b>36 Series<sup>®</sup></b>               |   |
| 36105R                                     | LED 3 Diode - 1x2" Rect. - Flex-Lite Adhesive - Red   |
| 36105Y                                     | LED 3 Diode - 1x2" Rect. - Flex-Lite Adhesive - Amber |
| 36100R                                     | LED 3 Diode - 1x2" Rect. - Flex-Lite 2 Screw - Red    |
| 36100Y                                     | LED 3 Diode - 1x2" Rect. - Flex-Lite 2 Screw - Amber  |
| <b>10 Series<sup>®</sup></b>               |   |
| 10250R                                     | LED 2 Diode-2.5" Round - Grommet - Red                |
| 10250Y                                     | LED 2 Diode-2.5" Round - Grommet - Amber              |
| 10251R                                     | LED 2 Diode-2.5" Round - Flange - Red                 |
| 10251Y                                     | LED 2 Diode-2.5" Round - Flange - Amber               |
| STOP/TURN/TAIL                             |   |
| <b>Super 44<sup>®</sup></b>                |   |
| 44302R                                     | LED 6 Diode - 4" Round - Grommet                      |
| 44602R                                     | LED 6 Diode - 4" Round - Grommet HEATED <i>NEW</i>    |
| 44322R                                     | LED 6 Diode - 4" Round - Flange                       |
| 44622R                                     | LED 6 Diode - 4" Round - Flange HEATED <i>NEW</i>     |
| <b>60 Series<sup>®</sup></b>               |   |
| 60250R                                     | LED 24 Diode - 6" Oval - Grommet                      |
| 60252R                                     | LED 24 Diode - 6" Oval - Flange                       |
| 60502R                                     | LED 6 Diode - 6" Oval - Grommet HEATED                |
| 60622R                                     | LED 6 Diode - 6" Oval - Flange HEATED                 |
| <b>Signal Stat</b>                         |   |
| 4050                                       | SS LED 24 Diode - 4" Round - Grommet                  |
| 4053                                       | SS LED 24 Diode - 4" Round - Flange                   |
| 6050                                       | SS LED 24 Diode - 6" Oval - Grommet                   |
| 6053                                       | SS LED 24 Diode - 6" Oval - Flange                    |

Part Numbers listed above are most popular - Please see website for all part number configurations



| BACKUP                                  |  |
|---|--|
| <b>Super 44<sup>®</sup></b>             |  |
| 44350C                                  | LED 6 Diode - 4" Round - Grommet                                   |
| 44345C                                  | LED 6 Diode - 4" Round - Flange                                    |
| <b>66 Series<sup>®</sup></b>            |  |
| 66205C                                  | LED 1 Diode - 6" Oval - Grommet                                    |
| 66206C                                  | LED 1 Diode - 6" Oval - Flange                                     |
| <b>Signal Stat (Economy)</b>            |  |
| 6060C                                   | SS LED 24 Diode, 6" Oval - Grommet                                 |
| 6063C                                   | SS LED 24 Diode, 6" Oval - Flange                                  |
| COMBO TECHNOLOGY                        |  |
| 44557R                                  | LED 6 Diode - 4" Round STT+Back Up-Grommet                         |
| 44605R                                  | LED 6 Diode - 4" Round STT + Back Up - Grommet - HEATED <i>NEW</i> |
| 44555R                                  | LED 6 Diode - 4" Round STT + Back Up - Flange                      |
| 44625R                                  | LED 6 Diode - 4" Round STT + Back Up - Flange - HEATED <i>NEW</i>  |
| 60556R                                  | LED 8 Diode - 6" Oval STT + BackUp-Grommet                         |
| 60610R                                  | LED 8 Diode - 6" Oval STT + BackUp - Grommet - HEATED <i>NEW</i>   |
| 60559R                                  | LED 8 Diode - 6" Oval STT + BackUp - Flange                        |
| 60630R                                  | LED 8 Diode - 6" Oval STT + BackUp-Flange - HEATED <i>NEW</i>      |
| WARNING                                 |  |
| <b>Super 44<sup>®</sup> <i>NEW</i></b>  |  |
| 44277R                                  | LED, Strobe, 8 Diode, 4" Round, Red, Grommet                       |
| 44677R                                  | LED, Strobe, 8 Diode, 4" Round, Red, Grommet HEATED                |
| 44277Y                                  | LED, Strobe, 8 Diode, 4" Round, Amber, Grommet                     |
| 44677Y                                  | LED, Strobe, 8 Diode, 4" Round, Amber, Grommet HEATED              |
| 44278R                                  | LED, Strobe, 8 Diode, 4" Round, Red, Flange                        |
| 44678R                                  | LED, Strobe, 8 Diode, 4" Round-Red- Flange- HEATED                 |
| 44278Y                                  | LED, Strobe, 8 Diode, 4" Round, Amber, Flange                      |
| 44678Y                                  | LED, Strobe, 8 Diode, 4" Round-Amber- Flange- HEATED               |
| <b>60<sup>®</sup> Series <i>NEW</i></b> |  |
| 60367R                                  | LED, Strobe, 8 Diode, 6" Oval, Red, Grommet                        |
| 60667R                                  | LED, Strobe, 8 Diode, 6" Oval, Red, Grommet, HEATED                |
| 60367Y                                  | LED, Strobe, 8 Diode, 6" Oval, Amber, Grommet                      |
| 60667Y                                  | LED, Strobe, 8 Diode, 6" Oval, Amber, Grommet HEATED               |
| 60368R                                  | LED, Strobe, 8 Diode, 6" Oval, Red, Flange                         |
| 60668R                                  | LED, Strobe, 8 Diode, 6" Oval, Red, Flange HEATED                  |
| 60368Y                                  | LED, Strobe, 8 Diode, 6" Oval, Amber, Flange                       |
| 60668Y                                  | LED, Strobe, 8 Diode, 6" Oval, Amber, Flange HEATED                |
| LISCENSE                                |  |
| <b>33 Series<sup>®</sup></b>            |  |
| 33210C                                  | LED 1 Diode- 3/4" Round - Grommet                                  |
| <b>36 Series<sup>®</sup></b>            |  |
| 36145C                                  | LED 3 Diode - 1x2" Rect. Adhesive                                  |
| <b>15 Series<sup>®</sup></b>            |  |
| 15205                                   | LED 3 Diode - 1x2" Rect. Bracket                                   |
| REFLECTOR                               |  |
| <b>Peel &amp; Stick</b>                 |  |
| 98175R                                  | 3" Round - Adhesive - Red  |
| 98175Y                                  | 3" Round - Adhesive - Amber  |
| <b>Signal Stat (Economy)</b>            |  |
| 45                                      | SS 2" Round - Adhesive - Red                                       |
| 45A                                     | SS 2" Round - Adhesive - Amber                                     |
| HIGH OUTPUT WORK LIGHTS                 |  |
| 8101                                    | SS Flood Lamp, Round, 1600 Lumen                                   |
| 8102                                    | SS Work Lamp, Rectangle, 1440 Lumen                                |
| 8103                                    | SS Work Lamp, Square, 1600 Lumen                                   |
| 8104                                    | SS Flood Lamp, Round, 1200 Lumen                                   |
| 8105                                    | SS Flood Lamp, Oval, 1920 Lumen                                    |
| 8107                                    | SS Flood Lamp, Oval, 2600 Lumen                                    |
| 8108                                    | SS Work Lamp, Square, 1950 Lumen                                   |
| 8109                                    | SS Work Lamp Rectangle, 2400 Lumen                                 |